

AB Tip İnceleme Sertifikası EU Type-Examination Certificate

Belge No / Certificate No

: 161-21-01-R02

Belgelendirme Tarihi - Bir Sonraki Belge Tarihi /

Certification Date / Certificate Validity Date

: 12.03.2021-15.02.2026

Belge Geçerlilik Tarihi / Document Validity Period: 5 yıl / 5 years

Firma Unvanı ve Adresi /

Company Name and Address

: COOL AGENCY SRO

Koněvova 2660/141, Žižkov (Praha 3), 130

00 Praha, Zizkov

Ürün Adı /Modeller / Product Name / Models

Direktifi / Directive

Modülü/Kategori / Module / Category

: PROMEDOR 24 FFP2 NR PRIMUS

: 2016/425 REGULATION

: B MODÜLÜ/ KATEGORİ III MODULE B / CATEGORY III

Test Rapor No/ları / Test Report No

Ürün Tipi / Product Type:

: MNA M-2020-00755 , MNA M-2021-00384

 EN 149:2001+ A1:2009 Solunumla ilgili koruyucu cihazlar - Parçacıklara karşı koruma amaçlı filtreli yarım maskeler/ Respiratory protective devices - Filtering half masks to protect against particles

Ürünün Malzeme Bilgisi / Product Material Information: PROMEDOR 24 FFP2 NR PRIMUS model ürünleri kumaş, elatik kayışı, burun klipsi, filtre katmanı kullanılarak imal edilmiştir./ PROMEDOR 24 FFP2 NR PRIMUS model products are manufactured using fabric, elastic strap, nose clip, filter layer.

Revizyon nedeni/ Reason for revision: Farklı renkte ürünler eklenmiştir/ Different color products have been added.

Volkan AKIN 12.03.2021 Karar Verici / Approver Okan AKEL 12.03.2021 Şirket Müdürü / General manager

Jane



MNA Laboratuvarları San. Tic.Ltd .Şti Adres: Küçükbakkalköy Mahallesi Yenidoğan Cad.No:21 Ataşehir/ İstanbul

Tel: 0216 574 07 08 Faks: 0216 575 13 31 www.mnalab.com

U-Form-002/Rev.04/12.03.2020




ATTACHMENTS (161-21-01-R02)

To certify the PPE product at Category III level, C2 or D module is accompanied by applying one of the conformity assessment methods along with the EU Type Examination (Module B).

Model: PROMEDOR 24 FFP2 NR PRIMUS

PPE SPECIFICATION	PERFORMANCE LEVELS
Classification	FFP2
Reusable / Single Shift Use	NR


PPE produced as a single unit to fit an individual user, all the necessary instructions for manufacturing such PPE on the basis of the approved basic model:



MNA LABORATORIES SAN. TIC. LTD. ŞTİ declares that the above-mentioned product meets the requirements of the directive according to the EU Directive 2016/425, the safety of the product is covered by the conditions and use specified in this certificate and in the technical file.



ATTACHMENTS (161-21-01-R02)



MNA Laboratuvarları San. Tic.Ltd .Şti Adres: Küçükbakkalköy Mahallesi Yenidoğan Cad.No:21 Ataşehir/ İstanbul Tel: 0216 574 07 08 Faks: 0216 575 13 31 www.mnalab.com



ATTACHMENTS (161-21-01-R02)



DOCUMENTS IN THE TECHNICAL FILE

- Basic Health Safety Requirements
- Risk Assessment
- Test Reports
- Technical Report



TECHNICAL EVALUATION REPORT (161-21-01-R02)

Report No : 161-21-01-R02

Report Date :12.03.2021

Application No : 161-21-01

1. COMPANY INFORMATION:

COOL AGENCY SRO

Koněvova 2660/141, Žižkov (Praha 3), 130 00 Praha, Zizkov

Tel: +90 532 135 05 79


2. PPE INFORMATION:


Disposable and non-sterile half mask made of particulate protection fitler material.

3. PPE TYPE IDENTIFICATION

EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles - Requirements, testing, marking

4. PPE PICTURES







TECHNICAL EVALUATION REPORT (161-21-01-R02)



PROMEDOR 24 FFP2 NR PRIMUS

5. PPE DIMENSIONS:

PROMEDOR 24 FFP2 NR PRIMUS model has been found to be produced using standart sizes.

6. PPE PRODUCT MATERIAL INFORMATION:

The product is made of elastic strap, nonwoven fabric on the outer and inner layers and fitler material on the middle layer.

7. ESSENTIAL HEALTH AND SAFETY REQUIREMENTS

- A visual inspection was made according to EN 149:2001 +A1:2009 for ergonomics.
- Protection levels and degrees are defined by the manufacturer.
- Suitable construction materials were determined by visual inspection according to EN 149:2001 +A1:2009.

8. ANALYSIS AND EVALUATIONS:

EN 149:2001 +A1:2009

TESTS P.	PARAMETER PERFORMANCE LEVELS				RESULTS	PERFORMANCE LEVELS	EVALUATION	
		FFP1	FFP2	FFP3				
Part 7.3 Visual inspection	Shall also the mark supplied by the mark	- No. 20		mation	Appropriate	-	PASS	
Part 7.4 Packaging	for sale packaged	half mask shall be offered d in such a way that they gainst mechanical damage n before use.			Appropriate	-	PASS	
Part 7.5 Material	When conditioned 8.3.2 the particle 1 collapse.				Appropriate	-	PASS	
Part 7.6	After cleaning and	disinfecting	g the re	-usable	Not applicable	-	Not applicable	



TECHNICAL EVALUATION REPORT (161-21-01-R02)

Cleaning and disinfecting	particle filtering half mask shall satisfy the penetration requirement of the relevant class.			
Part 7.7 Practical performance	No negative comments should be made by the test subject regarding any of the criteria evaluated.	Appropriate	-	PASS
Part 7.8 Finish of parts	Parts of the device likely to come into contact with the wearer shall have no sharp edge or burrs.	Appropriate	-	PASS
Banned Azo Dyes	< 30 mg/kg	< 5 mg/kg	< 30 mg/kg	PASS

TESTS	PARAMETER PERFORMANO LEVELS		CE RESULTS		PERFORMANCE LEVELS	EVALUATION	
		FFP1	FFP2	FFP3			
Part 7.9.1 Total inward leakage	At least 46 out of the 50 individual exercise result	<25	<11	<5	See the table below	FFP2	PASS
	At least 8 out of the 10 individual wearer arithmetic means	<22	<8	<2	See the table below	FFP2	PASS

	Total Inwar	d Leakage (%	6)			
	Exercise 1	Exercise 2	Exercise 3	Exercise 4	Exercise 5	Average
Subject 1 (As recieved)	7.7	7.3	7.9	6.4	7.9	7.4
Subject 2 (As recieved)	7.6	7.2	7.8	7.5	7.3	7.5
Subject 3 (As recieved)	7.1	7.9	8.3	5.2	7.0	7.1
Subject 4 (As recieved)	7.2	7.1	7.5	8.1	6.3	7.2
Subject 5 (As recieved)	8.1	7.5	7.7	6.7	6.7	7.3
Subject 6 (After temperature conditioning)	5.9	7.1	8.4	7.6	7.4	7.3
Subject 7 (After temperature conditioning)	7.6	6.5	7.5	7.8	7.5	7.4
Subject 8 (After temperature conditioning)	7.6	7.5	7.8	7.0	7.4	7.5
Subject 9 (After temperature conditioning)	7.7	7.5	7.8	6.3	7.6	7.4
Subject 10 (After temperature conditioning)	8.5	7.0	6.4	7.5	7.1	7.3

Subject facial dimensions

Subject	Face Length (mm)	Face Width (mm)	Face Depth (mm)	Mouth Width (mm)	
1	133	132	132	65	
2	125	144	116	67	
3	126	135	124	75	
4	123	133	134	74	
5	117	135	122	73	
6	122	142	133	66	
7	113	132	114	75	
8	135	123	123	65	
9	122	135	133	74	
10	135	142	125	83	



TECHNICAL EVALUATION REPORT (161-21-01-R02)

TESTS PARAM	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.9.2 Penetration of filter	Sodium chloride, 95 L/min %, max	% 20	% 6	%1	See the table below	FFP2	PASS
material	Paraffin oil, 95 L/min %, max	% 20	% 6	%1	See the table below	FFP2	PASS

Penetration of filter material	Sodium Chloride (%)	Paraffin Oil (%)	
As recieved	5.0	4.8	
As recieved	4.6	5.1	
As recieved	4.8	4.9	
After the simulated wearing treatment	4.9	4.8	
After the simulated wearing treatment	4.5	5.3	
After the simulated wearing treatment	4.7	5.0	
Mechanical strength and temperature conditioning	5.5	5.3	
Mechanical strength and temperature conditioning	5.7	5.8	
Mechanical strength and temperature conditioning	5.3	5.6	

TESTS PARAMETER	PARAMETER	PERFO	RMANC	E LEVELS	RESULTS	PERFORMANCE	EVALUATION
		FFP1	FFP2	FFP3		LEVELS	
Part 7.10 Compatibility with skin	Materials shall not be cause irritation or an health				Appropriate	-	PASS
Part 7.11 Flammibility	Mask shall not burn of for more than 5 s	or not to	continu	e to burn	Flame not seen	-	PASS
Part 7.12 Carbondioxide content of the inhalation air	Shall not exceed an a	verage o	f % 1		0,77 0,72 0,78	-	PASS
Part 7.13 Head harness	It can be donned and	remove	d easily		Appropriate	-	PASS
Part 7.14 Field of vision	The field of vision shaperformance test.	all accep	table in	practical	Appropriate	-	PASS
Part 7.15 Exhalation valve(s)	It shall withstand axis apply for 10 s. If fitted, shall continuous after a continuous L/min over a period o	nue to c	perate	correctly	Not applicable	-	Not applicable



TECHNICAL EVALUATION REPORT (161-21-01-R02)

TESTS PARAMETER	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE	EVALUATION
		FFP1	FFP2	FFP3		LEVELS	
Part 7.16 Breathing	Inhalation 30L/min	0,6 mbar	0,7 mbar	1,0 mbar	See the table below	FFP2	PASS
Resistance Inha	Inhalation 95L/min	2,1 mbar	2,4 mbar	3,0 mbar	See the table below	FFP2	PASS
	Exhalation 160L/min	3,0 mbar	3,0 mbar	3,0 mbar	See the table below	FFP2	PASS

Breathing Resistance (mbar)	Inhalation 30L/min	Inhalation 95L/min
As recieved	0,5	1,7
As recieved	0,5	1,7
As recieved	0,5	1,7
After temperature conditioning	0,5	1,6
After temperature conditioning	0,4	1,7
After temperature conditioning	0,5	1,6
After the simulated wearing treatment	0,5	1,7
After the simulated wearing treatment	0,4	1,6
After the simulated wearing treatment	0,4	1,6

Breathing Resistance 160L/min (mbar)	Facing directly ahead	Facing vertically upwards	Facing vertically downwards	Lying on the left side	Lying on the right side
As recieved	2,3	2,2	2,3	2,3	2,2
As recieved	2,2	2,3	2,2	2,3	2,2
As recieved	2,3	2,2	2,2	2,3	2,2
After temperature conditioning	2,2	2,3	2,3	2,2	2,2
After temperature conditioning	2,3	2,2	2,3	2,2	2,2
After temperature conditioning	2,3	2,3	2,2	2,3	2,2
After the simulated wearing treatment	2,3	2,2	2,3	2,2	2,3
After the simulated wearing treatment	2,2	2,3	2,2	2,3	2,2
After the simulated wearing treatment	2,3	2,2	2,3	2,3	2,3

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.17 Clogging	After clogging the inhalation resistances shall not exceed. (valved)	4 mbar	5 mbar	7 mbar	Not applicable	-	Not applicable
	The exhalation resistance shall not exceed 3 mbar at 160 L/ min continuous flow. (valved)				Not applicable	-	Not applicable
	After clogging the inhalation and exhalation resistances shall	3 mbar	4 mbar	5 mbar	Not applicable	-	Not applicable



TECHNICAL EVALUATION REPORT (161-21-01-R02)

	not exceed. (valveless)			
Part 7.18 Demountable part	All demountable parts (if fitted) shall be readily connected and secured were possible by hand.	Not applicable	-	Not applicable

9. DECISION PROPOSAL

Analysis and examinations PROMEDOR 24 FFP2 NR PRIMUS model coded personal protective equipment; Respiratory Protective Devices EN 149:2001 +A1:2009- Filtered Half Masks for Protection Against Particles - Properties, Experiments and Marking standards are evaluated. It is recommended to be certified at the performance levels specified as a result of technical evaluations.

10. ATTACHMENTS

- Basic Health Safety Requirements
- Risk Assessment
- Test Reports
- User Instruction

Reason for revision : Different color products have been added.

CONTROLLER : VOLKAN AKIN

SING :

DATE : 12.03.2021